



# Near Earth Asteroid Scout Solar Sail Thrust and Torque Model

Andy Heaton 1/19/2017



#### Introduction



- A flat plate solar sail model suffices for early design studies
- In the past, NASA used optical coefficients derived in 1978
- The coefficients were reviewed and updated in 2014
- The review indicated that some additional optical tests would be beneficial
- During 2015 detailed structural models of the sail shape became available
- The structural models enabled detailed Attitude Control System design



## Optical Model Review



Standard NASA Optical Coefficients updated in 2014

Coefficient	ř	s	$\mathbf{B}_{\mathbf{f}}$	$\mathbf{B}_{b}$	eε	e <sub>b</sub>	
Value	0.91	0.94	0.79	0.67	0.025	0.27	
Specular fraction coefficient							
			ba	ased or	n pristine	sail mat	erial

Wrinkled sail material may not be as specular

Testing of wrinkled material has been limited in past




#### Optical Test of Wrinkled Material



A Bi-directional Reflectance Distribution (BRDF) generally is used to determine how specular a reflection is from a given material

However, this test will only determine specular behavior at a microscopic (~ micrometer) level of wrinkles

Specular reflection is defined for this case as light inside a reflected cone of 10 deg



A test was designed to attempt to determine "areal specular behavior"


To do so, a laser was spread into a beam that illuminated areas of ~ 10 cm^2

Light is then collected at different cone angles after being reflected




## Areal Specular Test





Test regions of 10 cm<sup>2</sup> can be seen to in this photo prior without reflection (they are backlit)


In this photo, the light is shown after reflection





#### Areal Specular Test Results





By test and analysis, we determined that wrinkles at level of millimeters affect areal specular behavior

We created an analytical model of wrinkles that included an angular bias and Gaussian noise misalignment for each FEM element

The analytical model matched the test results reasonably well


Thus, ~ millimeter level wrinkles can be considered to increase diffusivity of the material (i.e. reduce specular behavior)

One-sigma decrease in fraction of specular reflection is 0.05 (so s = 0.89)



#### Specular Behavior Effect on Solar Torque








#### Three Dimensional Sail Model





LaRC created a ~66,000 element FEM in Abacus that includes realistic tension and thermal effects


We used the GSM developed by U. of Michigan to reduce this model to 84 coefficients

CPU savings are considerable




### Sail Thrust and Torque





Sail thrust magnitude is not affected much by shape



Sail torque is strongly affected by shape

Sail torque is important to ACS design



#### Conclusions and Forward Work



#### **Conclusions**

- The effect of ~ millimeter scale wrinkles can be modeled as a global decrease in specular behavior
- For NEA Scout, shape has an important effect on torque but not on thrust magnitude

#### **Future Work**

- Continue to refine results of optical testing
- Carefully select off-nominal thrust/torque cases for study given resource limitations